STN Columbus

* * *	* *	* *	* *	* Welcome to STN International * * * * * * * * *				
NEWS NEWS NEWS	1 2 3	JUL JUL		Web Page for STN Seminar Schedule - N. America CA/CAplus patent coverage enhanced EPFULL enhanced with additional legal status				
NEWS NEWS	4 5	JUL JUL	28	information from the epoline Register IFICDB, IFIPAT, and IFIUDB reloaded with enhancements STN Viewer performance improved				
NEWS NEWS	6 7	AUG AUG		INPADOCDB and INPAFAMDB coverage enhanced CA/CAplus enhanced with printed Chemical Abstracts page images from 1967-1998				
NEWS	8	AUG		CAOLD to be discontinued on December 31, 2008				
NEWS NEWS	9	AUG AUG		CAplus currency for Korean patents enhanced CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information				
NEWS	11	SEP	18	Support for STN Express, Versions 6.01 and earlier, to be discontinued				
NEWS	12	SEP	25	CA/CAplus current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances				
NEWS		SEP		WPIDS, WPINDEX, and WPIX coverage of Chinese and and Korean patents enhanced				
NEWS NEWS		SEP SEP		IFICLS enhanced with new super search field EMBASE and EMBAL enhanced with new search and				
NEWD	10	DHI	2,7	display fields				
NEWS	16	SEP		CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents				
NEWS NEWS		OCT OCT		EPFULL enhanced with full implementation of EPC2000 Multiple databases enhanced for more flexible patent number searching				
NEWS	19	OCT	22	Current-awareness alert (SDI) setup and editing enhanced				
NEWS	20	OCT	22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications				
NEWS	21	OCT	24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances				
NEWS	22	NOV	21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present				
NEWS	EXPI	RESS		E 27 08 CURRENT WINDOWS VERSION IS V8.3, CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.				
NEWS NEWS NEWS	LOG	IN	We.	N Operating Hours Plus Help Desk Availability lcome Banner and News Items r general information regarding STN implementation of IPC 8				
	NEWS	S foi	llow	ed by the item number or name to see news on that				
-			0.000.1	the state of the state of the COMM Contract				
agre rese of c	All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.							
* * *	* *	* *	* *	* * * * * STN Columbus * * * * * * * * * * * * *				
FILE '	' НОМЕ	E' EI	NTER	ED AT 07:24:11 ON 25 NOV 2008				
=> fil		.S. I	OOLL	ARS SINCE FILE TOTAL				
FULL E	ESTIN	MATE	o co:	ENTRY SESSION 0.42 0.42				

FILE 'CA' ENTERED AT 07:25:28 ON 25 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Nov 2008 VOL 149 ISS 22 FILE LAST UPDATED: 21 Nov 2008 (20081121/ED)

CA now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> e WO2005064415/pn
                1
                         W02005064413/PN
E.1
                         WO2005064414/PN
Ε2
                 1
EЗ
                1 --> WO2005064415/PN
                1 W02005064416/PN
E4
                        WO2005064521/PN
E5
                 1
               wozuu5u64521/PN
WO2005064551/PN
WO2005064560/PN
WO2005064575/PN
WO2005064590/PN
WO2005064597/PN
WO2005064598/PN
WO2005064619/PN
E6
Ε7
E.8
E9
E10
E11
                        WO2005064619/PN
                 1
E12
=> s e3; sel rn
                 1 WO2005064415/PN
                       (WO2005064415/PN)
```

E1 THROUGH E5 ASSIGNED

=> fil reg
COST IN U.S. DOLLARS
FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 07:25:56 ON 25 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file

provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1 DICTIONARY FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

SINCE FILE

ENTRY

2.56

TOTAL

2.98

SESSION

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> s e1-e51 115655-09-9/BI (115655-09-9/RN)1 13463-67-7/BI (13463-67-7/RN)1 167859-28-1/BI (167859-28-1/RN)1 25036-53-7/BI (25036-53-7/RN)1 25038-81-7/BI (25038-81-7/RN)L25 (115655-09-9/BI OR 13463-67-7/BI OR 167859-28-1/BI OR 25036-53-7 /BI OR 25038-81-7/BI) => d scan L2 REGISTRY COPYRIGHT 2008 ACS on STN ΙN Benzenamine, N, N-diethyl-4-(1, 4, 4-triphenyl-1, 3-butadien-1-yl)-C32 H31 N MF

$$\begin{array}{c} \begin{array}{c} \begin{array}{c} \text{Ph} \\ \text{C} \\ \end{array} \end{array} \text{CH-CH} = \text{CPh} \ _2$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L2 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Poly[(5,7-dihydro-1,3,5,7-tetraoxobenzo[1,2-c:4,5-c']dipyrrole-2,6(1H,3H)-diyl)-1,4-phenyleneoxy-1,4-phenylene]
ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT
MF (C22 H10 N2 O5)n
CI PMS, COM

RELATED POLYMERS AVAILABLE WITH POLYLINK

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L2 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-

4-methyl- MF C55 H49 N

PAGE 1-B

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L2 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 1H,3H-Benzo[1,2-c:4,5-c']difuran-1,3,5,7-tetrone, polymer with 4,4'-oxybis[benzenamine]
ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT
MF (C12 H12 N2 O . C10 H2 O6)x
CI PMS, COM

RELATED POLYMERS AVAILABLE WITH POLYLINK

CM 1

CM 2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L2 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IN Titanium oxide (TiO2)

ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT CI COM

 $0 = T_1 = 0$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log h

COST IN U.S. DOLLARS SINCE FILE TOTAL SESSION ENTRY FULL ESTIMATED COST 2.76 5.74

SESSION WILL BE HELD FOR 120 MINUTES STN INTERNATIONAL SESSION SUSPENDED AT 07:29:36 ON 25 NOV 2008

* * * * * RECONNECTED TO STN INTERNATIONAL * * * * * SESSION RESUMED IN FILE 'REGISTRY' AT 07:55:11 ON 25 NOV 2008 FILE 'REGISTRY' ENTERED AT 07:55:11 ON 25 NOV 2008 COPYRIGHT (C) 2008 American Chemical Society (ACS)

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 2.76 5.74

=> fil reg COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 3.22 6.20

FILE 'REGISTRY' ENTERED AT 07:55:33 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1 DICTIONARY FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\584348.str screen 1992 AND 1841

SCREEN CREATED L3

L4STRUCTURE UPLOADED

=>

L5 QUE L4 AND L3

=>

Uploading C:\Program Files\Stnexp\Queries\584348I.str screen 1994 OR 1842

L6 SCREEN CREATED

=>

L7 STRUCTURE UPLOADED

=>

L8 QUE L7 NOT L6

=>

Uploading C:\Program Files\Stnexp\Queries\584348II.str


L9 STRUCTURE UPLOADED

=> d 15


L5 HAS NO ANSWERS

L3 SCR 1992 AND 1841


L4 STR



Page 1-A



Page 1-B



Page 2-A



```
Page 2-B
VPĀ 23-17/19/20/21/22 S
NODE ATTRIBUTES:
NSPEC
        IS C
                   ΑT
                         1
                         2
NSPEC
        IS R
                   ΑT
NSPEC
        IS R
                   ΑT
                         3
NSPEC
        IS R
                   ΑT
                         4
                         5
NSPEC
        IS R
                   ΑT
NSPEC
        IS R
                   ΑT
                         6
NSPEC
        IS R
                   ΑT
                         7
                         8
NSPEC
        IS R
                   ΑT
NSPEC
                         9
        IS R
                   ΑT
NSPEC
        IS R
                   AT
                        10
NSPEC
        IS R
                   ΑT
                        11
                        12
NSPEC
        IS R
                   ΑT
                        13
        IS R
NSPEC
                   ΑT
NSPEC
        IS C
                   ΑT
                       14
NSPEC
        IS C
                   ΑT
                       15
NSPEC
        IS C
                   ΑT
                       16
                       17
NSPEC
        IS R
                   ΑT
NSPEC
        IS R
                   ΑT
                        18
NSPEC
        IS R
                   ΑT
                        19
NSPEC
        IS R
                        20
                   ΑT
NSPEC
        IS R
                        21
                   ΑT
NSPEC
        IS R
                        22
                   ΑT
NSPEC
        IS C
                   ΑT
                        23
NSPEC
        IS RC
                   ΑT
                        24
        IS RC
                        25
NSPEC
                   ΑT
DEFAULT MLEVEL IS ATOM
                         1 14 15 16 23 24 25
MLEVEL IS CLASS AT
DEFAULT ECLEVEL IS LIMITED
```


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 25


STEREO ATTRIBUTES: NONE

L5 QUE L4 AND L3


=> d 18; d 19 L8 HAS NO ANSWERS L6 SCR 1994 OR 1842 L7 STR




Page 1-A



Page 1-B



```
Page 2-A
```



G1 @32

```
Page 2-B
VAR G1=33/34
VPA 23-17/19/20/21/22 S
VPA 32-26/27/29/30/31 S
NODE ATTRIBUTES:
NSPEC IS C
                  AT 2
NSPEC
       IS R
                       3
NSPEC
      IS R
                   ΑT
       IS R
NSPEC
                   ΑT
                        4
       IS R
IS R
IS R
NSPEC
                   ΑT
                        5
NSPEC
                  ΑT
                 AT
                        7
NSPEC
                 ΑT
       IS R
NSPEC
                       8
NSPEC
       IS R
                 ΑT
                 AT 10
NSPEC
       IS R
NSPEC
      IS R
                 AT 11
                  AT 12
AT 13
AT 14
       IS R
NSPEC
       IS R
NSPEC
NSPEC
        IS C
                  AT 15
       IS C
NSPEC
       IS C
                      16
NSPEC
                  ΑT
NSPEC
       IS R
                 ΑT
                      17
                      18
NSPEC
       IS R
                 ΑT
                AT
AT
       IS R
                      19
20
21
NSPEC
       IS R
IS R
IS R
NSPEC
NSPEC
                AT 21
AT 22
AT 23
AT 24
                  ΑT
NSPEC
      IS C
NSPEC
NSPEC
      IS C
                 AT 25
NSPEC
      IS C
                AT 26
AT 27
AT 28
AT 29
NSPEC
      IS R
      IS R
NSPEC
       IS R
IS R
NSPEC
NSPEC
                 AI __
AT 30
      IS R
NSPEC
                AT
AT
      IS R
NSPEC
                      31
NSPEC IS C
DEFAULT MLEVEL IS ATOM
MLEVEL IS CLASS AT 1 14 15 16 23 24 25 33 34
DEFAULT ECLEVEL IS LIMITED
```


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 34


STEREO ATTRIBUTES: NONE

L8 QUE L7 NOT L6


L9 HAS NO ANSWERS
L9 STR




Page 1-B



Page 2-A




Page 2-B



Page 3-A





Page 3-B 52

Page 4-A REP G20=(0-1) 36-30 37-38 VPA 23-17/19/20/21/22 S NODE ATTRIBUTES: NSPEC IS C ΑT 1234567 NSPEC IS R ΑT NSPEC IS R ΑT NSPEC IS R ΑT IS R NSPEC ΑT NSPEC IS R ΑT NSPEC IS R ΑT 8 NSPEC IS R ΑT NSPEC IS R ΑT NSPEC IS R ΑT 10 NSPEC IS R ΑT 11 12 13 NSPEC IS R ΑT NSPEC IS R ΑT NSPEC IS C ΑT 14 NSPEC IS C ΑT 15 NSPEC IS C ΑT 16 NSPEC IS R ΑT 17 NSPEC IS R ΑT 18

```
NSPEC
      IS R
                 ΑT
                     19
NSPEC
     IS R
                 AT 20
NSPEC
       IS R
                 AT 21
                     22
NSPEC
       IS R
                 ΑT
       IS C
NSPEC
                 ΑT
                      23
       IS R
NSPEC
                 ΑT
                      24
       IS R
                      25
NSPEC
                 ΑT
       IS R
                     26
NSPEC
                 ΑT
NSPEC
       IS R
                 ΑT
                     27
NSPEC
       IS R
                 AT 28
NSPEC
       IS R
                 AT 29
NSPEC
       IS R
                 ΑT
                      30
NSPEC
       IS R
                      31
                 ΑT
NSPEC
       IS R
                 ΑT
                      32
                    33
       IS R
NSPEC
                 ΑT
NSPEC
       IS R
                 AT 34
NSPEC
       IS R
                 ΑT
                     35
NSPEC
       IS C
                 ΑT
                     36
       IS C
                      37
NSPEC
                 ΑT
       IS C
NSPEC
                 ΑT
                      38
       IS C
IS R
NSPEC
                 ΑT
                      39
                     40
NSPEC
                 ΑT
       IS R
NSPEC
                 ΑT
                    41
       IS R
NSPEC
                 AT 42
NSPEC
       IS R
                 AT 43
NSPEC
       IS R
                AT 44
                 AT 45
NSPEC
       IS R
       IS R
NSPEC
                 ΑT
                     46
NSPEC
       IS R
                 ΑT
                     47
       IS R
                    48
NSPEC
                 ΑT
NSPEC
       IS R
                 AT 49
      IS R
                 AT 50
NSPEC
NSPEC
      IS R
                 ΑT
                     51
                      52
NSPEC
     IS C
                 AΤ
DEFAULT MLEVEL IS ATOM
MLEVEL IS CLASS AT 1 14 15 16 23 36 37 38 39 DEFAULT ECLEVEL IS LIMITED
GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 52
STEREO ATTRIBUTES: NONE
=> s 15 sam
SAMPLE SEARCH INITIATED 07:59:13 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -
                                    124 TO ITERATE
                                                                27 ANSWERS
100.0% PROCESSED
                      124 ITERATIONS
SEARCH TIME: 00.00.01
FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                        BATCH **COMPLETE**
PROJECTED ITERATIONS:
                              1812 TO 3148
                               229 TO
PROJECTED ANSWERS:
                                          851
             27 SEA SSS SAM L4 AND L3
L10
=> d scan
L10 27 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
     [1,1'-Biphenyl]-3-amine, N-[4-[1-[4-[(3-methylphenyl)phenylamino]phenyl]-
     4,4-diphenyl-1,3-butadienyl]phenyl]-N-phenyl- (9CI)
MF
     C59 H46 N2
```

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

27 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN Benzenamine, 4-[1-(4-chlorophenyl)-4,4-diphenyl-1,3-butadien-1-yl]-N,N-IN

dimethyl-

C30 H26 C1 N MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L10 27 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

Benzenamine, 4,4',4'',4'''-(2,3-diphenyl-1,3-butadiene-1,4-ΙN

divlidene) tetrakis [N, N-dimethyl- (9CI)

MF C48 H50 N4

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> s 15 sss full

FULL SEARCH INITIATED 07:59:51 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -2362 TO ITERATE

100.0% PROCESSED 2362 ITERATIONS 404 ANSWERS

66 ANSWERS

SEARCH TIME: 00.00.01

404 SEA SSS FUL L4 AND L3 L11

=> s 18 sub=111

ENTER SUBSET SEARCH SCOPE - SAMPLE, FULL, RANGE, OR (END):full

FULL SUBSET SEARCH INITIATED 08:01:05 FILE 'REGISTRY'

FULL SUBSET SCREEN SEARCH COMPLETED -69 TO ITERATE

100.0% PROCESSED 69 ITERATIONS

SEARCH TIME: 00.00.01

L12 66 SEA SUB=L11 SSS FUL L7 NOT L6

=> s 19 sub=111 full

FULL SUBSET SEARCH INITIATED 08:01:22 FILE 'REGISTRY'
FULL SUBSET SCREEN SEARCH COMPLETED - 105 TO ITERATE

100.0% PROCESSED 105 ITERATIONS 59 ANSWERS

SEARCH TIME: 00.00.01

L13 59 SEA SUB=L11 SSS FUL L9

=> d scan 112

L12 66 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN Ethanone, 1-[4-[4,4-bis[4-(dimethylamino)phenyl]-1-phenyl-1,3-butadien-1-

yl]phenyl]-

MF C34 H34 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L12 66 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN Benzenamine, 4-[1-(4-chlorophenyl)-4,4-diphenyl-1,3-butadien-1-yl]-N,N-

dimethyl-

MF C30 H26 C1 N

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L12 66 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN Benzenamine, 4,4'-[4,4-bis(4-ethoxyphenyl)-1,3-butadienylidene]bis[N,N-bu

dibutyl-

MF C48 H64 N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

L12 66 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

MF C36 H40 N2 . C18 H28 O2

CM 1

CM 2

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d scan 113

L13 59 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(2,2-diphenylethenyl)phenyl]-N-phenylMF C48 H37 N

$$Ph_2C = CH - CH = CH$$
 Ph
 $CH = CPh_2$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

59 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN L13

3-Thiazolidineacetic acid, 5-[[4-[bis[4-(4,4-diphenyl-1,3-butadien-1-4])]]ΙN yl)phenyl]amino]phenyl]methylene]-4-oxo-2-thioxo-

C56 H42 N2 O3 S2 MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):.

REGISTRY COPYRIGHT 2008 ACS on STN 59 ANSWERS L13

59 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-ΙN butadien-1-yl)-3-methylphenyl]-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-3-methyl-

C68 H55 N MF

$$Ph \ 2C = CH - CH = CH$$

$$Ph \ 2C = CH - CH = CH - CH = CPh \ 2$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d his

L1

L2

(FILE 'HOME' ENTERED AT 07:24:11 ON 25 NOV 2008)

FILE 'CA' ENTERED AT 07:25:28 ON 25 NOV 2008 E WO2005064415/PN

1 S E3

SEL RN

FILE 'REGISTRY' ENTERED AT 07:25:56 ON 25 NOV 2008 5 S E1-E5

17

```
FILE 'REGISTRY' ENTERED AT 07:55:33 ON 25 NOV 2008
L3
               SCREEN 1992 AND 1841
L4
                STRUCTURE UPLOADED
L5
                QUE L4 AND L3
                SCREEN 1994 OR 1842
L6
                STRUCTURE UPLOADED
L7
                QUE L7 NOT L6
Г8
                STRUCTURE UPLOADED
T.9
L10
             27 S L5 SAM
L11
            404 S L5 SSS FULL
L12
             66 S L8 SUB=L11 FULL
             59 S L9 FULL SUB=L11
T.13
=> fil caplus; s 112 and 113
COST IN U.S. DOLLARS
                                                  SINCE FILE
                                                                  TOTAL
                                                       ENTRY
                                                                SESSION
FULL ESTIMATED COST
                                                       267.62
                                                                 273.82
FILE 'CAPLUS' ENTERED AT 08:02:32 ON 25 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)
Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.
FILE COVERS 1907 - 25 Nov 2008 VOL 149 ISS 22
FILE LAST UPDATED: 24 Nov 2008 (20081124/ED)
Caplus now includes complete International Patent Classification (IPC)
reclassification data for the third quarter of 2008.
Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:
http://www.cas.org/legal/infopolicy.html
           469 L12
            85 L13
            19 L12 AND L13
T.14
=> d bib kwic hitstr 1-19; fil stnguide
L14 ANSWER 1 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN
Full Text
ΑN
     2007:1178295 CAPLUS
DN
     147:436836
     Electrophotographic photoreceptors with oxytitanium phthalocyanine charge
ΤТ
     generators and pyrazolenylcyclohexadiene charge transporters
     Uchida, Tadayoshi; Kiuchi, Yasuyuki
Yamanashi Electronics Co., Ltd., Japan; Permachem Asia, Ltd.
ΙN
PA
     Jpn. Kokai Tokkyo Koho, 34pp.
SO
     CODEN: JKXXAF
DT
     Patent
LA
     Japanese
FAN.CNT 1
     PATENT NO.
                         KIND
                                DATE
                                            APPLICATION NO.
                                                               DATE
PI JP 2007271962
                                 20071018
                                            JP 2006-97893
                                                                     20060331
                         А
PRAI JP 2006-97893
                                 20060331
    MARPAT 147:436836
IT 109995-82-6
                130382-78-4
     RL: TEM (Technical or engineered material use); USES (Uses)
```

(Hole transporter; electrophotog. photoreceptors with oxytitanium phthalocyanine charge generators and pyrazolenylcyclohexadiene charge transporters)

TT 118985-32-3 **167859-28-1**

> RL: TEM (Technical or engineered material use); USES (Uses) (electrophotog. photoreceptors with oxytitanium phthalocyanine charge generators and pyrazolenylcyclohexadiene charge transporters)

IT 109995-82-6

RL: TEM (Technical or engineered material use); USES (Uses) (Hole transporter; electrophotog. photoreceptors with oxytitanium phthalocyanine charge generators and pyrazolenylcyclohexadiene charge transporters)

RN


109995-82-6 CAPLUS
Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-CN (CA INDEX NAME)

IT 167859-28-1

RN

RL: TEM (Technical or engineered material use); USES (Uses) (electrophotog. photoreceptors with oxytitanium phthalocyanine charge generators and pyrazolenylcyclohexadiene charge transporters) 167859-28-1 CAPLUS

Benzenamine, N, N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)



PAGE 1-B

L14 ANSWER 2 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

ΑN 2006:680759 CAPLUS

DN 145:156007

High stability and low cost electrophotographic photoreceptor and ΤI electrophotographic imaging apparatus

Lim, An-Kee; Yon, Kyung-Yol; Kim, Ji-Uk ΙN

PA Samsung Electronics Co., Ltd., S. Korea

U.S. Pat. Appl. Publ., 15 pp. SO CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

PATENT NO. KIND DATE DATE APPLICATION NO.

ΡI	US 20060154159	A1	20060713	US	2006-330052	20060112
	KR 2006082611	A	20060719	KR	2005-3184	20050113
	JP 2006195476	A	20060727	JP	2006-6511	20060113
PRA]	KR 2005-3184	A	20050113			
ΙT	2082-79-3, Octadecy	3-(3,	5-di-tert-bu	ıtvl-	-4-hvdroxvphenvl)pr	opionate
	9005-12-3, KF-50 2					
	65181-78-4 76185-6	55-4, N	,N,N',N'-Tet	rak:	is(4-methvlphenvl)b	enzidine
	81966-02-1, GPL-G	,	, , ,			
	109995-82-6, T405 10				,	
	178924-17-9 214343					
	RL: TEM (Technical o	or engi	neered mater	rial	use); USES (Uses)	
					otog, photoreceptor	and
	electrophotog, in			-	J 1	
IT 1	. 09995-82-6, T405 1678			-2		
	RL: TEM (Technical o				use); USES (Uses)	
					otog, photoreceptor	and
	electrophotog. in			1	2 [
RN	109995-82-6 CAPLUS		T- T- · ·			
CM	Benzenamine / /!-//	1 4-415	hanzzl_1 3_hi	1+ 24	ien_1_vlidene)his[N	N_diathul_

CN Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-(CA INDEX NAME)

RN 167859-26-9 CAPLUS
CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

$$Ph_2C = CH - CH = CH - CH = CH - CH = CPh_2$$

RN 167859-29-2 CAPLUS
CN Benzenamine, 4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-N-(4-methoxyphenyl)- (CA INDEX NAME)

PAGE 1-B

```
L14 ANSWER 3 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN
Full Text
ΑN
     2006:31688 CAPLUS
DN
     144:117749
ΤI
     Electrophotographic photoreceptor
     Suzuki, Hajime; Tsushima, Masataka; Nakamura, Hideki
ΙN
PA
     Yamanashi Electronics Co., Ltd., Japan; Shindengen Electric Mfg. Co., Ltd.
     PCT Int. Appl., 43 pp.
SO
     CODEN: PIXXD2
DT
     Patent
LA
     Japanese
FAN.CNT 1
     PATENT NO.
                          KIND
                                 DATE
                                              APPLICATION NO.
                                                                       DATE
     WO 2006003897
PΙ
                           Α1
                                  20060112
                                              WO 2005-JP11848
                                                                       20050628
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,
             LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,
             NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,
             ZA, ZM,
                      ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF,
             CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM,
             KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG,
             KZ, MD, RU, TJ, TM
PRAI JP 2004-193838
                           Α
                                  20040630
     MARPAT 144:117749
IT 115655-09-9 118985-32-3
                                123231-31-2
                                               149815-35-0
     167859-28-1
     RL: MOA (Modifier or additive use); USES (Uses)
        (charge transfer agent for electrophotog. photoreceptor)
IT 115655-09-9 167859-28-1
     RL: MOA (Modifier or additive use); USES (Uses)
         (charge transfer agent for electrophotog. photoreceptor)
     115655-09-9 CAPLUS
RN
     Benzenamine, N, N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX
CN
     NAME)
```

```
Me
```

RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 4 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN Full Text ΑN 2005:612566 CAPLUS 143:142677 DN Electrophotographic photoreceptor and electrophotographic apparatus ΤI Suzuki, Hajime; Uchida, Tadayoshi; Kobayashi, Ryoji ΙN PΑ Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd. SO PCT Int. Appl., 28 pp. CODEN: PIXXD2 Patent DT LA Japanese FAN.CNT 1 APPLICATION NO. PATENT NO. KIND DATE ----_____ _____ PΤ WO 2005064415 A1 20050714 WO 2004-JP19063 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, ΤG US 20070148574 US 2006-584348 Α1 20070628 20060623 PRAI JP 2003-434462 20031226 Α WO 2004-JP19063 20041221 W MARPAT 143:142677 IT 115655-09-9 167859-28-1 RL: DEV (Device component use); USES (Uses) (charge transfer agent; electrophotog. photoreceptor and electrophotog. app. showing excellent repetition stability and environmental performance) IT 115655-09-9 167859-28-1 RL: DEV (Device component use); USES (Uses) (charge transfer agent; electrophotog, photoreceptor and electrophotog, app. showing excellent repetition stability and environmental performance)

115655-09-9 CAPLUS

RN

CN

NAME)

RN 167859-28-1 CAPLUS
CN Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]4-methyl- (CA INDEX NAME)

Benzenamine, N, N-diethyl-4-(1, 4, 4-triphenyl-1, 3-butadien-1-yl)- (CA INDEX

PAGE 1-A

Me

C=CH-CH=CH-CH=CH-CH=C-

$$CH$$

PAGE 1-B

RE.CNT THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 5 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Text Full

2005:408508 CAPLUS AN

DN142:472568

Electrophotographic photoreceptors with good abrasion resistance and ΤI smooth surface and electrophotographic apparatus having them

TN

Suzuki, Hajime; Tsushima, Masataka; Tanito, Hisashi Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd. Jpn. Kokai Tokkyo Koho, 21 pp. PA

SO

CODEN: JKXXAF DT

Patent LA Japanese

FAN CNT 1

T. TATA • (71/1 T				
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	JP 2005121926	A	20050512	JP 2003-357265	20031017
PRAI	JP 2003-357265		20031017		
	140 400 600				

MARPAT 142:472568 OS

IT 167859-28-1

RL: DEV (Device component use); USES (Uses)

(charge transfer agent; Relectrophotog. photoreceptors with good abrasion resistance and smooth surface)

IT 115655-09-9

RL: DEV (Device component use); USES (Uses)

(charge transfer agent; electrophotog. photoreceptors with good abrasion resistance and smooth surface)

IT 167859-28-1

RL: DEV (Device component use); USES (Uses)

(charge transfer agent; Relectrophotog. photoreceptors with good abrasion resistance and smooth surface)

 $167859-28-1 \quad \text{CAPLUS} \\ \text{Benzenamine, N,N-bis} \\ [4-[4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}] \\ \text{phenyl}] - [4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}] \\ + [4,4-\text{bis}(4-\text{me$ CN 4-methyl- (CA INDEX NAME)

IT 115655-09-9

RL: DEV (Device component use); USES (Uses) (charge transfer agent; electrophotog. photoreceptors with good abrasion resistance and smooth surface)

115655-09-9 CAPLUS
Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX RN CN NAME)

L14 ANSWER 6 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

2005:120256 CAPLUS ΑN

DN142:207545

ΤI Electrophotographic photoreceptor containing specific charge-transporting

Suruga, Kazuyuki; Oda, Tatsushi; Okachi, Makoto Mitsubishi Paper Mills, Ltd., Japan IN

PA

SO Jpn. Kokai Tokkyo Koho, 40 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN CNT

PAN.	FAN. CNI I							
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE			
ΡI	JP 2005037428	A	20050210	JP 2003-196961	20030715			
	JP 4170840	В2	20081022					
PRAI	JP 2003-196961		20030715					
OS	MARPAT 142:207545							
ΙT	76185-65-4 85171-	94-4	103079-11-4 1	L09995-82-6 128956-68-	-3			
	151406-98-3 15736	5-56-5	167859-28-1	169685-34-1				
	207308-35-8 53592	5-20-3	838853-57-9	838853-58-0				
	RL: DEV (Device com	oonent '	use); USES ((Jses)				
	(Electrophotog.	ohotore	ceptor contq.	. specific charge-transp	porting			
	agents)	-						

IT 109995-82-6 167859-28-1

RL: DEV (Device component use); USES (Uses) (Electrophotog. photoreceptor contg. specific charge-transporting agents)

RN

109995-82-6 CAPLUS
Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-CN (CA INDEX NAME)

RN 167859-28-1 CAPLUS

CN Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-4-methyl- (CA INDEX NAME)

PAGE 1-B

L14 ANSWER 7 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

ΑN 2005:13738 CAPLUS

DΝ 142:123037

Electrophotographic photoreceptor having light-sensitive layer with low ΤI wear and surface roughness

ΙN

Suzuki, Hajime; Nakamura, Hideki; Koizumi, Toshihiko Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd. Jpn. Kokai Tokkyo Koho, 23 pp. PA

SO

CODEN: JKXXAF

DT Patent

Japanese T.A

FAN.CI	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PRAI 3	JP 2005003834 JP 2003-165904 MARPAT 142:123037	A	20050106 20030611	JP 2003-165904	20030611

IT 115655-09-9 167859-28-1

RL: DEV (Device component use); USES (Uses) (charge-transporting agent; electrophotog. photoreceptor contg. polycarbonate binders and specific charge-transporting agents for low wear and surface roughness)

IT 115655-09-9 167859-28-1

RL: DEV (Device component use); USES (Uses) (charge-transporting agent; electrophotog. photoreceptor contg. polycarbonate binders and specific charge-transporting agents for low wear and surface roughness)

RN115655-09-9 CAPLUS

Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX CN NAME)

167859-28-1 CAPLUS RN

Benzenamine, N, N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)

PAGE 1-B

Text Full ΑN 2004:739305 CAPLUS DN141:251392 Electrophotographic photoreceptor having specific charge-transporting ΤТ compound Kobayashi, Masayuki; Otoguro, Koji; Tanito, Hisashi Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd. Jpn. Kokai Tokkyo Koho, 18 pp. ΙN PASO CODEN: JKXXAF DT Patent Japanese LA FAN.CNT 1 KIND PATENT NO. DATE APPLICATION NO. DATE

JP 2004252328 20040909 20030221 JP 2003-44640 PΙ Α PRAI JP 2003-44640 20030221 MARPAT 141:251392

135499-88-6 **167859-28-1** 127446-78-0 IT **115655-09-9**

L14 ANSWER 8 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

170888-92-3

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting compd. in electrophotog. photoreceptor)

IT 115655-09-9 167859-28-1

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting compd. in electrophotog. photoreceptor)

RN 115655-09-9 CAPLUS


Benzenamine, N, N-diethyl-4-(1, 4, 4-triphenyl-1, 3-butadien-1-yl)- (CA INDEX CN NAME)

167859-28-1 CAPLUS RN

CN Benzenamine, N, N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-4-methyl- (CA INDEX NAME)

PAGE 1-B

L14 ANSWER 9 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN **Full** Text ΑN 2004:159847 CAPLUS DN140:225734 Electrophotographic photoreceptor containing specific charge-transporting ΤI compounds ΙN Kodera, Tatsuya PAMitsubishi Paper Mills, Ltd., Japan Jpn. Kokai Tokkyo Koho, 25 pp. SO CODEN: JKXXAF DT Patent Japanese LA FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE PΤ JP 2004061987 20040226 JP 2002-222243 20020731 Α PRAI JP 2002-222243 20020731 MARPAT 140:225734 OS ΙT 76185-65-4 85171-94-4 103079-11-4 **109995-82-6** 157365-56-5 169685-34-1 521309-52-4 521309-55-7 167859-28-1 521309-58-0 521309-59-1 531510-29-9 663910-19-8 663910-20-1 663910-21-2 RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting compd. in electrophotog. photoreceptor) IT 109995-82-6 167859-28-1 RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting compd. in electrophotog. photoreceptor) RN 109995-82-6 CAPLUS Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-CN



(CA INDEX NAME)

167859-28-1 CAPLUS
Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)

PAGE 1-B

L14 ANSWER 10 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 2004:159780 CAPLUS

DN 140:225728

TI Electrophotographic photoreceptor containing oxytitanium phthalocyanine with specific diffraction peaks

IN Suzuki, Hajime; Shinohara, Takumi; Kobayashi, Ryoji

PA Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K.

SO Jpn. Kokai Tokkyo Koho, 18 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004061635	A	20040226	JP 2002-216795	20020725
PRAI JP 2002-216795		20020725		
00 100000 140 00000				

OS MARPAT 140:225728

IT **115655-09-9** 127446-78-0 **167859-26-9**

167859-28-1 167859-29-2 182481-38-5

RL: DEV (Device component use); USES (Uses)

(charge-transporting agent; electrophotog. photoreceptor contg.

oxytitanium phthalocyanine with specific diffraction peaks)

IT 115655-09-9 167859-26-9 167859-28-1

167859-29-2 182481-38-5

RL: DEV (Device component use); USES (Uses)

(charge-transporting agent; electrophotog. photoreceptor contg.

oxytitanium phthalocyanine with specific diffraction peaks)

RN 115655-09-9 CAPLUS

CN Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX NAME)

RN 167859-26-9 CAPLUS

CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

RN

167859-28-1 CAPLUS
Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)

PAGE 1-A

Me

$$C = CH - CH = CH - CH = CH - CH = CH - CH = CH$$

PAGE 1-B

RN

 $167859-29-2 \quad \text{CAPLUS} \\ \text{Benzenamine, } 4-[4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}]-\text{N-}[4-[4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}]-\text{N-}(4-\text{methoxyphenyl})- \quad \text{(CA INDEX)} \\ \text{CA INDEX} \\$ CN NAME)

PAGE 1-B

RN

 $182481-38-5 \quad \text{CAPLUS} \\ \text{Benzenamine, } 4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1-yl})-$ CN 1,3-butadien-1-yl)phenyl]- (CA INDEX NAME)

Ph
$$_2$$
C=CH-CH=CH
Ph $_2$ C=CH-CH=CH=CH=CPh $_2$

L14 ANSWER 11 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 2004:118492 CAPLUS

DN 140:189935

TI Electrophotographic photoconductor showing high sensitivity and stable performance

IN Suruga, Kazuyuki; Okaji, Makoto; Oda, Tatsushi

PA Mitsubishi Paper Mills, Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 36 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	JP 2004045909	A	20040212	JP 2002-205011	20020715
PRAI	JP 2002-205011		20020715		
OS	MARPAT 140:189935				
T	76105 65 4 05171	0.4.4	100070 11 4	100005 00 6 155065 56	_

TT 76185-65-4 85171-94-4 103079-11-4 **109995-82-6** 157365-56-5 **167859-27-0** 169685-34-1 531510-31-3 531510-32-4

531510-34-6 531510-35-7 531510-37-9

RL: DEV (Device component use); USES (Uses) (electrophotog. photoconductor contg. specific combination of charge transport compds. to improve sensitivity and stable performance)

IT 109995-82-6 167859-27-0

RL: DEV (Device component use); USES (Uses)

(electrophotog. photoconductor contg. specific combination of charge transport compds. to improve sensitivity and stable performance)

RN 109995-82-6 CAPLUS

CN Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-(CA INDEX NAME)

$$\begin{array}{c|c} \mathsf{CH} - \mathsf{CH} = \mathsf{CPh} \ 2 \\ \hline \mathsf{Et} \ 2 \mathsf{N} \\ \hline \\ \mathsf{C} \end{array}$$

RN 167859-27-0 CAPLUS

CN Benzenamine, 4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-N-phenyl- (CA INDEX NAME)



L14 ANSWER 12 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 2003:259922 CAPLUS

DN 138:294852

TI Electrophotographic photoreceptor containing specific electron-transporting substance and hole-transporting substance in single photosensitive layer for improved sensitivity

IN Kiuchi, Yasuyuki; Sato, Toyozo; Suzuki, Koki; Momose, Teruyo; Uchida, Tadayoshi

PA Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K.; Permachem Asia, Ltd.

SO Jpn. Kokai Tokkyo Koho, 49 pp. CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003098702	A	20030404	JP 2001-289552	20010921
TW 284249	В	20070721	TW 2003-92105932	20030318
PRAI JP 2001-289552	A	20010921		

OS MARPAT 138:294852

IT 82532-76-1 103079-11-4 **115655-09-9** 122738-12-9 139475-10-8

167859-28-1 178476-93-2 178477-07-1 503843-39-8 RL: DEV (Device component use); USES (Uses)

(hole-transporting substance; electrophotog. photoreceptor contg. specific electron-transporting substance and hole-transporting substance in single photosensitive layer)

IT 115655-09-9 167859-28-1

RL: DEV (Device component use); USES (Uses)
 (hole-transporting substance; electrophotog. photoreceptor contg.
 specific electron-transporting substance and hole-transporting
 substance in single photosensitive layer)

RN 115655-09-9 CAPLUS

CN Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX NAME)

RN 167859-28-1 CAPLUS

CN Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-4-methyl- (CA INDEX NAME)


PAGE 1-A

Me

$$C = CH - CH = CH - CH = CH - CH = CH - CH = CH$$

PAGE 1-B

L14 ANSWER 13 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN Full Text ΑN 2003:116670 CAPLUS DN138:161043 High sensitive electrophotographic photoconductor showing stable ΤI performance ΙN Suzuki, Hajime; Nakamura, Hideki; Shinohara, Takumi; Tanaka, Tadashi PAShindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K. SO Jpn. Kokai Tokkyo Koho, 11 pp. CODEN: JKXXAF DT Patent Japanese LA FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE PΤ JP 2003043715 20030214 JP 2001-231089 20010731 Α PRAI JP 2001-231089 20010731 MARPAT 138:161043 IT **115655-09-9** 127446-78-0 **167859-26-9** 167859-28-1 167859-29-2 182481-38-5 RL: DEV (Device component use); USES (Uses) (charge transport material in high sensitive electrophotog. photoconductor showing stable performance) IT 115655-09-9 167859-26-9 167859-28-1 167859-29-2 182481-38-5 RL: DEV (Device component use); USES (Uses) (charge transport material in high sensitive electrophotog.



115655-09-9 CAPLUS

RN CN

NAME)

RN 167859-26-9 CAPLUS
CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX

photoconductor showing stable performance)

RN

167859-28-1 CAPLUS
Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)

PAGE 1-A

Me

$$C = CH - CH = CH - CH = CH - CH = CH - CH = CH$$

PAGE 1-B

RN

 $167859-29-2 \quad \text{CAPLUS} \\ \text{Benzenamine, } 4-[4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}]-\text{N-}[4-[4,4-\text{bis}(4-\text{methylphenyl})-1,3-\text{butadien}-1-\text{yl}]-\text{N-}(4-\text{methoxyphenyl})- \quad \text{(CA INDEX)} \\ \text{CA INDEX} \\$ CN NAME)

PAGE 1-B

RN

 $182481-38-5 \quad \text{CAPLUS} \\ \text{Benzenamine, } 4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1-yl})-$ CN 1,3-butadien-1-yl)phenyl]- (CA INDEX NAME)

Ph
$$_2$$
C=CH-CH=CH
Ph $_2$ C=CH-CH=CH=CH=CH+CH=CPh $_2$

L14 ANSWER 14 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

2003:40263 CAPLUS ΑN

138:114998 DN

Electrophotographic photoreceptor using butadiene and amine compound as ΤI charge-transporting agent

TN

Suzuki, Hajime; Nakamura, Hideki Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K. PΑ

SO Jpn. Kokai Tokkyo Koho, 13 pp.

CODEN: JKXXAF

DТ Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
	JP 2003015332 JP 2001-198024	А	20030117 20010629	JP 2001-198024	20010629	
OS	MARPAT 138:114998					

127446-78-0 **167859-26-9** IT 115655-09-9

167859-28-1 167859-29-2 182481-38-5

RL: DEV (Device component use); USES (Uses)

(electrophotog. photoreceptor using butadiene and amine compd. as

charge-transporting agent)

IT 115655-09-9 167859-26-9 167859-28-1

167859-29-2 182481-38-5

RL: DEV (Device component use); USES (Uses)

(electrophotog. photoreceptor using butadiene and amine compd. as

charge-transporting agent)

115655-09-9 CAPLUS RN

Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX CN NAME)

RN 167859-26-9 CAPLUS

CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)]butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

$$Ph_2C = CH - CH = CH - CH = CH - CH = CPh_2$$

RN

167859-28-1 CAPLUS
Benzenamine, N,N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)

PAGE 1-B

167859-29-2 CAPLUS RN

Benzenamine, 4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(4-methylphenyl)-1,4-bis(4-methylpCN methylphenyl)-1,3-butadien-1-yl]phenyl]-N-(4-methoxyphenyl)- (CA INDEX

PAGE 1-B

RN

182481-38-5 CAPLUS
Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N,N-bis[4-(4,4-diphenyl-CN 1,3-butadien-1-yl)phenyl]- (CA INDEX NAME)

$$Ph_{2}C = CH - CH = CH$$

$$Ph_{2}C = CH - CH = CH - CH = CPh_{2}$$

$$CH = CH - CH = CPh_{2}$$

L14 ANSWER 15 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN Full Text

AN 2002:700254 CAPLUS

138:360295 DN

ΤI Organic photosensor in Elgraphy-Part III Enhancement of spectral sensitivity by addition of fluorescent charge transport material

ΑIJ Aoki, D.; Hikosaka, S.; Inoue, E.

Central Research Institute Dainippon Printing Co., Ltd., Chiba-ken, Japan CS

Journal of Imaging Science and Technology (2002), 46(4), 338-343 SO CODEN: JIMTE6; ISSN: 1062-3701

PB Society for Imaging Science and Technology

DT Journal

English LA

73276-71-8 89114-90-9 **109995-82-6** 122738-25-4 ΤТ 134702-49-1

219786-98-8

RL: DEV (Device component use); PRP (Properties); USES (Uses) (charge transport layer; characterization of fluorescent charge transport material for elgraphic photosensors)

IT 109995-82-6 219786-98-8

RL: DEV (Device component use); PRP (Properties); USES (Uses) (charge transport layer; characterization of fluorescent charge transport material for elgraphic photosensors)

RN

109995-82-6 CAPLUS
Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-CN (CA INDEX NAME)

RN 219786-98-8 CAPLUS

CN Benzenamine, 4-[4,4-bis(3-methylphenyl)-1,3-butadien-1-yl]-N-[4-[4,4-bis(3-methylphenyl]-1,3-butadien-1-yl]-N-[4-[4,4-bis(3-methylphemethylphenyl)-1,3-butadien-1-yl]phenyl]-N-(4-methylphenyl)- (CA INDEX

PAGE 1-B

_ Me

RE.CNT THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 16 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

2002:518049 CAPLUS AN

DN 137:101363

ΤI Electrophotographic photoreceptors with good sensitivity to long-wavelength radiation

Suzuki, Hajime; Nakamura, Hideki; Koizumi, Toshihiko; Sano, Masaki; INKobayashi, Ryoji; Shinohara, Takumi; Tanaka, Tadashi

PAShindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K. SO Jpn. Kokai Tokkyo Koho, 15 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

RN

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
ΡI	JP 2002196519	А	20020712	JP 2000-394099	20001226		
PRAI	JP 2000-394099		20001226				
OS	MARPAT 137:101363						

IT **115655-09-9** 157365-56-5, Benzenemethanamine,

N-[4-[1-[4-(dimethylamino)phenyl]-4,4-diphenyl-1,3-butadienyl]phenyl]-N-[4-[4-(dimethylamino)phenyl]-N-[4-(dimet(phenylmethyl) - 167859-28-1 182481-38-5

RL: TEM (Technical or engineered material use); USES (Uses)

(charge transfer agent; high-sensitivity electrophotog. photoreceptors having phenylbutadiene-based amine charge transfer agents)

IT 115655-09-9 167859-28-1 182481-38-5

RL: TEM (Technical or engineered material use); USES (Uses) (charge transfer agent; high-sensitivity electrophotog. photoreceptors having phenylbutadiene-based amine charge transfer agents) 115655-09-9 CAPLUS

Benzenamine, N, N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX CN NAME)

RN 167859-28-1 CAPLUS

Benzenamine, N, N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-4-methyl- (CA INDEX NAME)

PAGE 1-B

RN

 $182481-38-5 \quad \text{CAPLUS} \\ \text{Benzenamine, } 4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1},3-\text{butadien-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{diphenyl-1-yl})-\text{N,N-bis}\\ [4-(4,4-\text{$ CN 1,3-butadien-1-yl)phenyl]- (CA INDEX NAME)

L14 ANSWER 17 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

ΑN 2002:447182 CAPLUS

137:39286 DN

ΤI Electrophotographic organic photoreceptors having binder resin of specific polycarbonate copolymer and specific charge-transporting agent in light-sensitive layer

IN Suzuki, Hajime; Ueda, Tsuyoshi; Koizumi, Toshihiko; Nakamura, Hideki

Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K. Jpn. Kokai Tokkyo Koho, 14 pp. PA

SO CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
ΡI	JP 2002169309	А	20020614	JP 2000-367535	20001201		
PRAI	JP 2000-367535		20001201				
~ ~	143 D D 3 D 3 D 3 D 3 D 3 D 3 D 3 D 3 D 3						

MARPAT 137:39286

IT **115655-09-9** 157365-56-5 **167859-28-1**

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting agent for electrophotog. photoreceptor)

IT 115655-09-9 167859-28-1

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transporting agent for electrophotog. photoreceptor)

RN 115655-09-9 CAPLUS

CN Benzenamine, N, N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX NAME)

RN 167859-28-1 CAPLUS

Benzenamine, N, N-bis[4-[4,4-bis(4-methylphenyl)-1,3-butadien-1-yl]phenyl]-CN 4-methyl- (CA INDEX NAME)



L14 ANSWER 18 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 2001:933860 CAPLUS

DN 136:61505

 ${\tt TI}$ Laminate type electrophotographic photoconductor containing additive to reduce peroxide formation

IN Shingae, Ryuichi

PA Matsushita Electric Industrial Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
ΡI	JP 2001356506	A	20011226	JP 2000-177940	20000614		
PRAI	JP 2000-177940		20000614				
OS	MARPAT 136:61505						

IT 109995-82-6 167859-26-9

RL: DEV (Device component use); TEM (Technical or engineered material use); USES (Uses)

(charge transport material; laminate type electrophotog. photoconductor contg. additive to reduce peroxide formation)

IT 109995-82-6 167859-26-9

RL: DEV (Device component use); TEM (Technical or engineered material use); USES (Uses)

(charge transport material; laminate type electrophotog. photoconductor contg. additive to reduce peroxide formation)

RN 109995-82-6 CAPLUS

CN Benzenamine, 4,4'-(4,4-diphenyl-1,3-butadien-1-ylidene)bis[N,N-diethyl-(CA INDEX NAME)

RN 167859-26-9 CAPLUS

CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

L14 ANSWER 19 OF 19 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 1999:650494 CAPLUS

DN 131:287748

TI Oxy titanium phthalocyanines, their manufacture and use as photoreceptors for electrophotographic printing

IN Suzuki, Hajime

PA Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Denshi Kogyo K. K.

SO Jpn. Kokai Tokkyo Koho, 14 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

RN

PATENT NO. KIND DATE APPLICATION NO. DATE

PI JP 11279430 A 19991012 JP 1998-86426 19980331

PRAI JP 1998-86426 19980331

PRAI JP 1998-86426 19980 PS MARPAT 131:287748

IT **115655-09-9** 127446-78-0 **167859-26-9**

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transfer agents; oxy titanium phthalocyanines, manuf. and use as photoreceptors for electrophotog, printing)

IT 115655-09-9 167859-26-9

RL: TEM (Technical or engineered material use); USES (Uses) (charge-transfer agents; oxy titanium phthalocyanines, manuf. and use as photoreceptors for electrophotog. printing) 115655-09-9 CAPLUS

CN Benzenamine, N,N-diethyl-4-(1,4,4-triphenyl-1,3-butadien-1-yl)- (CA INDEX NAME)

RN 167859-26-9 CAPLUS

CN Benzenamine, 4-(4,4-diphenyl-1,3-butadien-1-yl)-N-[4-(4,4-diphenyl-1,3-butadien-1-yl)phenyl]-N-phenyl- (CA INDEX NAME)

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 79.05 352.87

FULL ESTIMATED COST

FILE 'STNGUIDE' ENTERED AT 08:03:56 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 21, 2008 (20081121/UP).

=> => d his

(FILE 'HOME' ENTERED AT 07:24:11 ON 25 NOV 2008)

FILE 'CA' ENTERED AT 07:25:28 ON 25 NOV 2008 E W02005064415/PN

L1 1 S E3 SEL RN

FILE 'REGISTRY' ENTERED AT 07:25:56 ON 25 NOV 2008 L2 5 S E1-E5

FILE 'REGISTRY' ENTERED AT 07:55:33 ON 25 NOV 2008
3 SCREEN 1992 AND 1841

L3 SCREEN 1992 AND 184 L4 STRUCTURE UPLOADED

L5 OUE L4 AND L3 SCREEN 1994 OR 1842 1.6 L7 STRUCTURE UPLOADED L8 QUE L7 NOT L6 STRUCTURE UPLOADED L927 S L5 SAM L10 404 S L5 SSS FULL L11 66 S L8 SUB=L11 FULL L12 L13 59 S L9 FULL SUB=L11

FILE 'CAPLUS' ENTERED AT 08:02:32 ON 25 NOV 2008 L14 19 S L12 AND L13

FILE 'STNGUIDE' ENTERED AT 08:03:56 ON 25 NOV 2008

=> fil reg
COST IN U.S. DOLLARS

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
0.96
353.83

FILE 'REGISTRY' ENTERED AT 08:13:47 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ${\tt ZIC/VINITI}$ data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1 DICTIONARY FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting ${\tt SmartSELECT}$ searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> save 112 a584438I/a ANSWER SET L12 HAS BEEN SAVED AS 'A584438I/A'

=> save 113 a584348II/a ANSWER SET L13 HAS BEEN SAVED AS 'A584348II/A'

=> fil sntguide
'SNTGUIDE' IS NOT A VALID FILE NAME
SESSION CONTINUES IN FILE 'REGISTRY'
Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files that are available. If you have requested multiple files, you can specify a corrected file name or you can enter "IGNORE" to continue accessing the remaining file names entered.

=> fil stnguide
COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
0.46 354.29

FILE 'STNGUIDE' ENTERED AT 08:14:25 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Nov 21, 2008 (20081121/UP).

=> fil reg; e polyimide/pct

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

354.35

0.06

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 08:14:53 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1 DICTIONARY FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

E1	3852	POLYHYDRAZIDE/PCT
E2	2994	POLYHYDRAZIDE FORMED/PCT
EЗ	61492>	POLYIMIDE/PCT
E4	38528	POLYIMIDE FORMED/PCT
E5	5906	POLYIONENE/PCT
E6	2299	POLYIONENE FORMED/PCT
E7	5077	POLYISOCYANURATE/PCT
E8	643	POLYISOCYANURATE FORMED/PCT
E9	21203	POLYKETONE/PCT
E10	2162	POLYKETONE FORMED/PCT
E11	2834	POLYNUCLEOTIDE/PCT
E12	37149	POLYOLEFIN/PCT

=> s e3 L15 61492 POLYIMIDE/PCT

=> fil ca; d his COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL
ENTRY SESSION
7.86 362.21

FILE 'CA' ENTERED AT 08:15:07 ON 25 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Nov 2008 VOL 149 ISS 22 FILE LAST UPDATED: 21 Nov 2008 (20081121/ED)

CA now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
(FILE 'HOME' ENTERED AT 07:24:11 ON 25 NOV 2008)
     FILE 'CA' ENTERED AT 07:25:28 ON 25 NOV 2008
                E WO2005064415/PN
L1
              1 S E3
                SEL RN
     FILE 'REGISTRY' ENTERED AT 07:25:56 ON 25 NOV 2008
L2
              5 S E1-E5
     FILE 'REGISTRY' ENTERED AT 07:55:33 ON 25 NOV 2008
L3
                SCREEN 1992 AND 1841
                STRUCTURE UPLOADED
L4
L5
                QUE L4 AND L3
                SCREEN 1994 OR 1842
L6
L7
                STRUCTURE UPLOADED
                QUE L7 NOT L6
L8
                STRUCTURE UPLOADED
L9
             27 S L5 SAM
L10
            404 S L5 SSS FULL
T.11
             66 S L8 SUB=L11 FULL
L12
L13
             59 S L9 FULL SUB=L11
     FILE 'CAPLUS' ENTERED AT 08:02:32 ON 25 NOV 2008
             19 S L12 AND L13
L14
     FILE 'STNGUIDE' ENTERED AT 08:03:56 ON 25 NOV 2008
     FILE 'REGISTRY' ENTERED AT 08:13:47 ON 25 NOV 2008
                SAVE L12 A584438I/A
                SAVE L13 A584348II/A
     FILE 'STNGUIDE' ENTERED AT 08:14:25 ON 25 NOV 2008
     FILE 'REGISTRY' ENTERED AT 08:14:53 ON 25 NOV 2008
               E POLYIMIDE/PCT
L15
          61492 S E3
     FILE 'CA' ENTERED AT 08:15:07 ON 25 NOV 2008
=> fil caplus; s 115 and 114
COST IN U.S. DOLLARS
                                                  SINCE FILE
                                                                 TOTAL
                                                       ENTRY
                                                                SESSION
FULL ESTIMATED COST
                                                                 362.67
                                                        0.46
FILE 'CAPLUS' ENTERED AT 08:15:34 ON 25 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)
```

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Nov 2008 VOL 149 ISS 22 FILE LAST UPDATED: 24 Nov 2008 (20081124/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/legal/infopolicy.html

42078 L15

L16 1 L15 AND L14

=> d bib

L16 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

Full Text

AN 2005:612566 CAPLUS

DN 143:142677

TI Electrophotographic photoreceptor and electrophotographic apparatus

IN Suzuki, Hajime; Uchida, Tadayoshi; Kobayashi, Ryoji

PA Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd.

SO PCT Int. Appl., 28 pp. CODEN: PIXXD2

DT Patent

LA Japanese

FAN.CNT 1

FAN.	PATENT NO.				KIND DATE			APPLICATION NO.					DATE					
ΡI	WO 2005064415			A1 20050714			WO 2004-JP19063						20041221					
		W:	ΑE,	AG,	AL,	ΑM,	ΑT,	ΑU,	AZ,	ΒA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KΖ,	LC,
			LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,
			NO,	NΖ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,
			ΤJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UΖ,	VC,	VN,	YU,	ZA,	ZM,	ZW
		RW:	BW,	GH,	GM,	KE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,
			AZ,	BY,	KG,	KΖ,	MD,	RU,	ТJ,	TM,	ΑT,	BE,	ВG,	CH,	CY,	CZ,	DE,	DK,
			EE,	ES,	FΙ,	FR,	GB,	GR,	HU,	IE,	IS,	ΙΤ,	LT,	LU,	MC,	NL,	PL,	PT,
			RO,	SE,	SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,
			MR,	ΝE,	SN,	TD,	ΤG											
	US	2007	0148.	574		A1		20070628		US 2006-584348					20060623			
PRAI	JΡ	2003	-434	462		A		2003	1226									
	WO	2004	-JP1	9063		W		2004	1221									
OS	MAF	RPAT :	143:	1426	77													

RE.CNT 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil stnguide

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION 1.69 364.36

FILE 'STNGUIDE' ENTERED AT 08:16:00 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 21, 2008 (20081121/UP).

=> log h

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 1.02 365.38

FULL ESTIMATED COST

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 08:26:19 ON 25 NOV 2008

* * * * * RECONNECTED TO STN INTERNATIONAL * * * * * * * SESSION RESUMED IN FILE 'STNGUIDE' AT 09:37:40 ON 25 NOV 2008 FILE 'STNGUIDE' ENTERED AT 09:37:40 ON 25 NOV 2008

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS) COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 1.02 365.38 => d his (FILE 'HOME' ENTERED AT 07:24:11 ON 25 NOV 2008) FILE 'CA' ENTERED AT 07:25:28 ON 25 NOV 2008 E WO2005064415/PN 1 S E3 L1SEL RN FILE 'REGISTRY' ENTERED AT 07:25:56 ON 25 NOV 2008 L2 5 S E1-E5 FILE 'REGISTRY' ENTERED AT 07:55:33 ON 25 NOV 2008 SCREEN 1992 AND 1841 L3 STRUCTURE UPLOADED L4L5 QUE L4 AND L3 SCREEN 1994 OR 1842 1.6 STRUCTURE UPLOADED L7 QUE L7 NOT L6 STRUCTURE UPLOADED L9 27 S L5 SAM L10 L11 404 S L5 SSS FULL 66 S L8 SUB=L11 FULL L12 59 S L9 FULL SUB=L11 L13 FILE 'CAPLUS' ENTERED AT 08:02:32 ON 25 NOV 2008 L14 19 S L12 AND L13 FILE 'STNGUIDE' ENTERED AT 08:03:56 ON 25 NOV 2008 FILE 'REGISTRY' ENTERED AT 08:13:47 ON 25 NOV 2008 SAVE L12 A584438I/A SAVE L13 A584348II/A FILE 'STNGUIDE' ENTERED AT 08:14:25 ON 25 NOV 2008 FILE 'REGISTRY' ENTERED AT 08:14:53 ON 25 NOV 2008 E POLYIMIDE/PCT 61492 S E3 L15 FILE 'CA' ENTERED AT 08:15:07 ON 25 NOV 2008 FILE 'CAPLUS' ENTERED AT 08:15:34 ON 25 NOV 2008 L16 1 S L15 AND L14 FILE 'STNGUIDE' ENTERED AT 08:16:00 ON 25 NOV 2008 COST IN U.S. DOLLARS SINCE FILE TOTAL

=> fil caplus; s 115 (p) (undercoat? or underlayer# or barrier or block?) ENTRY SESSION FULL ESTIMATED COST 1.20 365.56

FILE 'CAPLUS' ENTERED AT 09:39:32 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is

strictly prohibited.

```
FILE COVERS 1907 - 25 Nov 2008 VOL 149 ISS 22
FILE LAST UPDATED: 24 Nov 2008 (20081124/ED)
Caplus now includes complete International Patent Classification (IPC)
reclassification data for the third quarter of 2008.
Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:
http://www.cas.org/legal/infopolicy.html
          42078 L15
          10445 UNDERCOAT?
           8281 UNDERLAYER#
         257354 BARRIER
         701241 BLOCK?
L17
             851 L15 (P) (UNDERCOAT? OR UNDERLAYER# OR BARRIER OR BLOCK?)
=> s 117 and (112 or 113)
             469 L12
              85 L13
L18
               1 L17 AND (L12 OR L13)
=> d bib
L18 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
Full Text
     2005:612566 CAPLUS
ΝA
DΝ
     143:142677
     Electrophotographic photoreceptor and electrophotographic apparatus
TΙ
IN
     Suzuki, Hajime; Uchida, Tadayoshi; Kobayashi, Ryoji
     Shindengen Electric Mfg. Co., Ltd., Japan; Yamanashi Electronics Co., Ltd.
PA
     PCT Int. Appl., 28 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     Japanese
FAN.CNT 1
     PATENT NO.
                           KIND DATE
                                                 APPLICATION NO.
                                                                             DATE
                            ____
                                                   ______
                                    20050714
                                                  WO 2004-JP19063
PΙ
     WO 2005064415
                             A1
                                                                              20041221
          W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
               LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
               NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
          RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
               MR, NE, SN, TD, TG
     US 20070148574
                             Α1
                                     20070628
                                                   US 2006-584348
                                                                              20060623
PRAI JP 2003-434462
                             Α
                                     20031226
     WO 2004-JP19063
                                     20041221
                              TAT
     MARPAT 143:142677
                THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD
                ALL CITATIONS AVAILABLE IN THE RE FORMAT
=> log h
COST IN U.S. DOLLARS
                                                         SINCE FILE
                                                                            TOTAL.
                                                                         SESSION
                                                               ENTRY
                                                                          376.21
FULL ESTIMATED COST
                                                               10.65
 SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 09:40:36 ON 25 NOV 2008
 * * * * * * RECONNECTED TO STN INTERNATIONAL * * * * * *
SESSION RESUMED IN FILE 'CAPLUS' AT 09:44:34 ON 25 NOV 2008
```

FILE 'CAPLUS' ENTERED AT 09:44:34 ON 25 NOV 2008 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
10.65 376.21

FULL ESTIMATED COST

=> patfull; s 112 or 113
PATFULL IS NOT A RECOGNIZED COMMAND
COMMAND STACK INTERRUPTED. ENTER "DISPLAY HISTORY"
TO SEE WHICH COMMANDS WERE EXECUTED.

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> fil uspatfull; s 112 or 113

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 11.13 376.69

FULL ESTIMATED COST

FILE 'USPATFULL' ENTERED AT 09:45:16 ON 25 NOV 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 25 Nov 2008 (20081125/PD) FILE LAST UPDATED: 25 Nov 2008 (20081125/ED) HIGHEST GRANTED PATENT NUMBER: US7458102 HIGHEST APPLICATION PUBLICATION NUMBER: US20080289071 CA INDEXING IS CURRENT THROUGH 25 Nov 2008 (20081125/UPCA) ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 25 Nov 2008 (20081125/PD) REVISED CLASS FIELDS (/NCL) LAST RELOADED: Aug 2008 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Aug 2008

USPATFULL now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

75 L12 17 L13

L19 89 L12 OR L13

=> s (polyimide# (P) (undercoat? or underlayer# or barrier or block?))

123563 POLYIMIDE# 15921 UNDERCOAT?

13234 UNDERLAYER# 317842 BARRIER

2090127 BLOCK?

L20 10688 (POLYIMIDE# (P) (UNDERCOAT? OR UNDERLAYER# OR BARRIER OR BLOCK?)

=> s 119 and 120

L21 11 L19 AND L20

=> d pn 1-11

L21 ANSWER 1 OF 11 USPATFULL on STN $\underline{\mathtt{Full}}$ $\underline{\mathtt{Text}}$

PI US 20070148574 A1 20070628

L21 ANSWER 2 OF 11 USPATFULL on STN

Full Text

PI US 20060154159 A1 20060713

L21 ANSWER 3 OF 11 USPATFULL on STN

Full Text

PI US 20030148199 A1 20030807 US 6869740 B2 20050322

L21 ANSWER 4 OF 11 USPATFULL on STN

Full Text

PI US 6447965 B1 20020910

L21 ANSWER 5 OF 11 USPATFULL on STN Full Text US 5534375 19960709 L21 ANSWER 6 OF 11 USPATFULL on STN Full Text US 5294510 PΤ 19940315 L21 ANSWER 7 OF 11 USPATFULL on STN Full Text US 5128228 19920707 PΤ

L21 ANSWER 8 OF 11 USPATFULL on STN

Full Text US 4956255 PΙ 19900911

L21 ANSWER 9 OF 11 USPATFULL on STN Full Text

US 4939053 19900703

L21 ANSWER 10 OF 11 USPATFULL on STN Full Text PI US 4865935 19890912

L21 ANSWER 11 OF 11 USPATFULL on STN Full Text US 4810608 19890307

=> fil stnguide COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 17.05 393.74

FILE 'STNGUIDE' ENTERED AT 09:46:38 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 21, 2008 (20081121/UP).

=> fil reg

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 0.48 394.22

FILE 'REGISTRY' ENTERED AT 09:51:16 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1 DICTIONARY FILE UPDATES: 23 NOV 2008 HIGHEST RN 1074766-44-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> e cm 8000/cn

```
E1
             1
                    CM 79/CN
E2
                    CM 80/CN
             1
Е3
             1
               --> CM 8000/CN
E4
             1
                   CM 8014/CN
                   CM 80707/CN
E5
             1
             1
                   CM 82288/CN
Ε6
                   CM 8282/CN
E7
             1
                   CM 831/CN
E.8
             1
E9
             1
                   CM 833/CN
E10
             1
                    CM 833P/CN
E11
             1
                    CM 841X/CN
                    CM 842P48/CN
E12
             1
=> s e3; d
             1 "CM 8000"/CN
L22
L22 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2008 ACS on STN
RN
     55398-96-4 REGISTRY
     Entered STN: 16 Nov 1984
ΕD
CN
     Decanedioic acid, polymer with azacyclotridecan-2-one,
     hexahydro-2H-azepin-2-one, 1,6-hexanediamine and hexanedioic acid (CA
     INDEX NAME)
OTHER CA INDEX NAMES:
     1,6-Hexanediamine, polymer with azacyclotridecan-2-one, decanedioic acid,
CN
     hexahydro-2H-azepin-2-one and hexanedioic acid (9CI)
     2H-Azepin-2-one, hexahydro-, polymer with azacyclotridecan-2-one, decanedioic acid, 1,6-hexanediamine and hexanedioic acid (9CI)
CN
     Azacyclotridecan-2-one, polymer with decanedioic acid,
CN
     hexahydro-2H-azepin-2-one, 1,6-hexanediamine and hexanedioic acid (9CI)
     Hexanedioic acid, polymer with azacyclotridecan-2-one, decanedioic acid,
CN
     hexahydro-2H-azepin-2-one and 1,6-hexanediamine (9CI)
OTHER NAMES:
     843P48
CN
CN
     843P48A
     Adipic acid-£-caprolactam-dodecalactam-hexamethylenediamine-
CN
     sebacic acid copolymer
CN
     Amilan CM 8000
     CM 8000
CN
     Nylon 6-nylon 12-nylon 66-nylon 610 copolymer
CN
     161865-24-3, 162281-11-0, 127195-46-4
DR
MF
     (C12 H23 N O . C10 H18 O4 . C6 H16 N2 . C6 H11 N O . C6 H10 O4)\times
CI
     PMS
PCT
    Polyamide, Polyamide formed
     SIN Files: CA, CAPLUS, CHEMLIST, PIRA, TOXCENTER, USPAT2, USPATFULL
LC
     Other Sources: NDSL**, TSCA**
          (**Enter CHEMLIST File for up-to-date regulatory information)
     СМ
          1
     CRN
          947-04-6
          C12 H23 N O
     CMF
     CM
          124-09-4
     CRN
     CMF
          C6 H16 N2
```

 $H_2N - (CH_2)_6 - NH_2$

CM 3

CRN 124-04-9 CMF C6 H10 O4

H0.2C - (CH.2).4 - C0.2H

CM 4

CRN 111-20-6 CMF C10 H18 O4

H0.2C + (CH.2)8 + C0.2H

CM 5

CRN 105-60-2 CMF C6 H11 N O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

289 REFERENCES IN FILE CA (1907 TO DATE)

6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

289 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil stnguide COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 8.07 402.29

FULL ESTIMATED COST

FILE 'STNGUIDE' ENTERED AT 09:52:45 ON 25 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Nov 21, 2008 (20081121/UP).

=> log h

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 0.30 402.59

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 09:55:46 ON 25 NOV 2008